

Date: 10/11/2018

Product: OPTI-SCULPT™ - 10°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

## **Colour Specifications**

As per attached Specification Sheet

Color Tolerance:  $\Delta E = N/A$ 

### **Material Specifications**

General Description: Extruded Polycarbonate Film

Substrate: PC (Polycarbonate)

Thickness: 10.0 mil (.3937" or 9999.98 microns)

Manufactured in: U.S.A.

Available Sizes:

20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)

Certified By: Product Division

Rosco Laboratories, Inc.



Date: 10/11/2018

Product: OPTI-SCULPT™ - 10° x 20°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

## **Colour Specifications**

As per attached Specification Sheet

Color Tolerance:  $\Delta E = N/A$ 

### **Material Specifications**

General Description: Extruded Polycarbonate Film

Substrate: PC (Polycarbonate)

Thickness: 10.0 mil (.3937" or 9999.98 microns)

Manufactured in: U.S.A.

Available Sizes:

20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)

Certified By: Product Division

Rosco Laboratories, Inc.



Date: 10/11/2018

Product: OPTI-SCULPT™ - 10° x 30°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

## **Colour Specifications**

As per attached Specification Sheet

Color Tolerance:  $\Delta E = N/A$ 

### **Material Specifications**

General Description: Extruded Polycarbonate Film

Substrate: PC (Polycarbonate)

Thickness: 10.0 mil (.3937" or 9999.98 microns)

Manufactured in: U.S.A.

Available Sizes:

20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)

Certified By: Product Division

Rosco Laboratories, Inc.



Date: 10/11/2018

Product: OPTI-SCULPT™ - 10° x 40°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

## **Colour Specifications**

As per attached Specification Sheet

Color Tolerance:  $\Delta E = N/A$ 

### **Material Specifications**

General Description: Extruded Polycarbonate Film

Substrate: PC (Polycarbonate)

Thickness: 10.0 mil (.3937" or 9999.98 microns)

Manufactured in: U.S.A.

Available Sizes:

20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)

Certified By: Product Division

Rosco Laboratories, Inc.



Date: 10/11/2018

Product: OPTI-SCULPT™ - 10° x 60°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

## **Colour Specifications**

As per attached Specification Sheet

Color Tolerance:  $\Delta E = N/A$ 

### **Material Specifications**

General Description: Extruded Polycarbonate Film

Substrate: PC (Polycarbonate)

Thickness: 10.0 mil (.3937" or 9999.98 microns)

Manufactured in: U.S.A.

Available Sizes:

20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)

Certified By: Product Division

Rosco Laboratories, Inc.



Date: 10/11/2018

Product: OPTI-SCULPT™ - 15° x 35°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

## **Colour Specifications**

As per attached Specification Sheet

Color Tolerance:  $\Delta E = N/A$ 

### **Material Specifications**

General Description: Extruded Polycarbonate Film

Substrate: PC (Polycarbonate)

Thickness: 10.0 mil (.3937" or 9999.98 microns)

Manufactured in: U.S.A.

Available Sizes:

20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)

Certified By: Product Division

Rosco Laboratories, Inc.



Date: 10/11/2018

Product: OPTI-SCULPT™ - 15° x 45°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

## **Colour Specifications**

As per attached Specification Sheet

Color Tolerance:  $\Delta E = N/A$ 

### **Material Specifications**

General Description: Extruded Polycarbonate Film

Substrate: PC (Polycarbonate)

Thickness: 10.0 mil (.3937" or 9999.98 microns)

Manufactured in: U.S.A.

Available Sizes:

20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)

Certified By: Product Division

Rosco Laboratories, Inc.



Date: 10/11/2018

Product: OPTI-SCULPT™ - 20°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

## **Colour Specifications**

As per attached Specification Sheet

Color Tolerance:  $\Delta E = N/A$ 

### **Material Specifications**

General Description: Extruded Polycarbonate Film

Substrate: PC (Polycarbonate)

Thickness: 10.0 mil (.3937" or 9999.98 microns)

Manufactured in: U.S.A.

Available Sizes:

20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)

Certified By: Product Division

Rosco Laboratories, Inc.



Date: 10/11/2018

Product: OPTI-SCULPT™ - 20° x 40°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

## **Colour Specifications**

As per attached Specification Sheet

Color Tolerance:  $\Delta E = N/A$ 

### **Material Specifications**

General Description: Extruded Polycarbonate Film

Substrate: PC (Polycarbonate)

Thickness: 10.0 mil (.3937" or 9999.98 microns)

Manufactured in: U.S.A.

Available Sizes:

20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)

Certified By: Product Division

Rosco Laboratories, Inc.



Date: 10/11/2018

Product: OPTI-SCULPT™ - 30°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

## **Colour Specifications**

As per attached Specification Sheet

Color Tolerance:  $\Delta E = N/A$ 

### **Material Specifications**

General Description: Extruded Polycarbonate Film

Substrate: PC (Polycarbonate)

Thickness: 10.0 mil (.3937" or 9999.98 microns)

Manufactured in: U.S.A.

Available Sizes:

20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)

Certified By: Product Division

Rosco Laboratories, Inc.



Date: 10/11/2018

Product: OPTI-SCULPT™ - 40°/60° Reversible

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

## **Colour Specifications**

As per attached Specification Sheet

Color Tolerance:  $\Delta E = N/A$ 

### **Material Specifications**

General Description: Extruded Polycarbonate Film

Substrate: PC (Polycarbonate)

Thickness: 10.0 mil (.3937" or 9999.98 microns)

Manufactured in: U.S.A.

Available Sizes:

20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)

Certified By: Product Division

Rosco Laboratories, Inc.