

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 22-Jan-2020

Revision Date: 07-Feb-2020

**Revision Number:** 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Product Code Alternate Product Code Product Class Color Recommended use Restrictions on use

## **ROSCO OFF BROADWAY EARTH UMBER**

RF5358 XY5111 Water thinned paint brown Paint No information available

#### **Roscolab Limited**

Blanchard Works Kangley Bridge Road Sydenham London SE26 5AQ Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT) Email: info.emea@rosco.com

#### **Rosco Laboratories Inc.**

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 www.rosco.com

#### Emergency Telephone

CHEMTREC: +1-703-741-5970 CHEMTREC (United Kingdom Local Number): +44-870-8200418

# Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008	
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)

#### 2.2. Label elements

Product Identifier



Contains Cristobalite Signal word Warning

#### Hazard statements

H373 - May cause damage to organs through prolonged or repeated exposure

#### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P314 - Get medical advice/attention if you feel unwell

P501 - Dispose of contents/container to industrial incineration plant

#### 2.3. Other hazards

**General Hazards** 

No information available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Iron oxide	215-168-2	1309-37-1	>=1 - <5	Not available	Not available
Cristobalite	238-455-4	14464-46-1	>=1 - <5	STOT RE 1 (H372)	Not available
Diatomaceous silica, flux-calcined	272-489-0	68855-54-9	>=1 - <5	STOT RE 2 (H373)	Not available
Propylene glycol	200-338-0	57-55-6	>=1 - <5	Not available	01-2119456809-23-02 24
Talc	238-877-9	14807-96-6	>=1 - <5	Not available	Not available
Titanium dioxide	236-675-5	13463-67-7	>=0.5 - <1	Not available	01-2119489379-17-01 68
Silica, crystalline	238-878-4	14808-60-7	>=0.3 - <0.5	STOT RE 1 (H372)	Not available
Distillates, petroleum, solvent-refined heavy paraffinic	265-090-8	64741-88-4	>=0.1 - <0.3	Repr. 2 (H361) STOT RE 1 (H372) Asp. Tox 1 (H304)	Not available
Carbon black	215-609-9	1333-86-4	>=0.1 - <0.3	Not available	Not available

Full text of H- and EUH-phrases: see section 16

# Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

Description of first aid measures	
General Advice	No hazards which require special first aid measures.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

#### 4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects	None known.
---------------------------------	-------------

4.3. Indication of any immediate medical attention and special treatment needed

Notes To Physician

Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.
5.2. Special hazards arising from the substance or mix	<u>kture</u>
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity to static discharge	No
Sensitivity to mechanical impact	No
5.3. Advice for firefighters	
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.

# Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.
6.2. Environmental precautions	
Environmental precautions	Prevent spreading of vapors through sewers, ventilation systems and confined areas.
6.3. Methods and material for containment and cleanir	ng up
Methods for Containment	Absorb with inert material and place in suitable container for disposal.
Methods for Cleaning Up	Clean contaminated surface thoroughly.
6.4. Reference to other sections	
Other information	See Section 12 for additional information.
Section 7: HANDLING AND STORAGE	
7.1. Precautions for safe handling	
	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.
7.1. Precautions for safe handling	vapors, spray mists or sanding dust. In case of insufficient
7.1. Precautions for safe handling Handling	vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash thoroughly after handling.
7.1. Precautions for safe handling Handling Hygiene Measures	vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash thoroughly after handling.
7.1. Precautions for safe handling Handling Hygiene Measures 7.2. Conditions for safe storage, including any incomp	vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash thoroughly after handling. <b>Datibilities</b> Keep container tightly closed. Keep out of the reach of
7.1. Precautions for safe handling Handling Hygiene Measures 7.2. Conditions for safe storage, including any incomp Storage	vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash thoroughly after handling. <b>Datibilities</b> Keep container tightly closed. Keep out of the reach of
7.1. Precautions for safe handling Handling Hygiene Measures 7.2. Conditions for safe storage, including any incomp Storage 7.3. Specific end use(s)	<ul> <li>vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.</li> <li>Wash thoroughly after handling.</li> <li><b>batibilities</b></li> <li>Keep container tightly closed. Keep out of the reach of children.</li> <li>Architectural coating. Apply as directed. Refer to product</li> </ul>

## 8.1. Control parameters

Chemical name	<b>European Union</b>	Belgium	Bulgaria	Cyprus	France	Ireland
Iron oxide 1309-37-1	-	TWA: 5 mg/m³	TWA: 5.0 mg/m³	<u> </u>	TWA: 5 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>
Cristobalite 14464-46-1	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.07 mg/m <sup>3</sup>	-	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>
Diatomaceous silica, flux-calcined	-	-	-	-	-	TWA: 1.2 mg/m <sup>3</sup> STEL: 3.6 mg/m <sup>3</sup>

68855-54-9	1			T T						
Propylene glycol	-	-		-			-		-	TWA: 10 mg/m <sup>3</sup>
57-55-6										TWA: 150 ppm
										TWA: 470 mg/m <sup>3</sup>
										STEL: 1410 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>
										STEL: 30 mg/m <sup>2</sup> STEL: 450 ppm
Talc	-	TWA: 2 mg	ı/m <sup>3</sup>	TWA: 1.0 f	iber/cm3		-		-	TWA: 10 mg/m <sup>3</sup>
14807-96-6		1.0.0.2.1.19	,	TWA: 6.0						TWA: 0.8 mg/m <sup>3</sup>
				TWA: 3.0						STEL: 30 mg/m <sup>3</sup>
										STEL: 2.4 mg/m <sup>3</sup>
Chemical name	Germany	Greece		Hung		-	eland		Italy	Latvia
Iron oxide	-	TWA: 10 mg	0	TWA: 6 i	mg/m³	3.5 mg	g/m³ TWA		-	-
1309-37-1		STEL: 10 m	g/m <sup>3</sup>		- / 2	0.45	/ 0 <b>T</b> IA/A			
Cristobalite	-	-		TWA: 0.15	s mg/m³		g/m <sup>3</sup> TWA		-	-
14464-46-1 Diatomaceous silica,	TWA: 0.3 mg/m <sup>3</sup>	3				0.05 m	g/m³ TWA g/m³ TWA			
flux-calcined	TWA. 0.5 mg/m	-		-		1.5 mg	g/III° I WA		-	-
68855-54-9										
Propylene glycol	-	-		-			-		-	TWA: 7 mg/m <sup>3</sup>
57-55-6										5.
Talc	-	TWA: 10 mg		TWA: 2 I	mg/m³		-		-	-
14807-96-6		TWA: 2 mg	<u> </u>							
Chemical name	Lithuania	Netherlands	1	Poland	Rom	ania	Spain	1	Sweden	United Kingdom
Iron oxide	TWA: 3.5 mg/m <sup>3</sup>	-	STEL	_: 10 mg/m <sup>3</sup>		5 mg/m³	TWA: 5 m	g/m³	TLV: 3.5 mg/r	n <sup>3</sup> TWA: 5 mg/m <sup>3</sup>
1309-37-1				L: 5 mg/m <sup>3</sup>	STEL: 1	0 mg/m <sup>3</sup>				TWA: 10 mg/m <sup>3</sup>
				: 2.5 mg/m <sup>3</sup>						TWA: 4 mg/m <sup>3</sup>
			TW	A: 5 mg/m³						STEL: 10 mg/m <sup>3</sup>
										STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>
Cristobalite	TWA: 0.05	TWA: 0.075	Τ\//Δ	: 0.1 mg/m <sup>3</sup>	τ\//Δ	: 0.05	TWA: 0.	05	TLV: 0.05 mg/	
14464-46-1	mg/m <sup>3</sup>	mg/m <sup>3</sup>		. 0.1 mg/m		/m <sup>3</sup>	mg/m <sup>3</sup>		1 L V. 0.00 mg/	III I WA. 0.1 Ing/III
Diatomaceous silica.	-	-	TW	A: 2 mg/m <sup>3</sup>		-	<u>-</u>		-	-
flux-calcined				A: 1 mg/m <sup>3</sup>						
68855-54-9				Ũ						
Propylene glycol	TWA: 7 mg/m <sup>3</sup>	-	TWA	: 100 mg/m <sup>3</sup>		-	-		-	TWA: 150 ppm
57-55-6										TWA: 474 mg/m <sup>3</sup>
										TWA: 10 mg/m <sup>3</sup>
										STEL: 450 ppm STEL: 1422
										mg/m <sup>3</sup>
										STEL: 30 mg/m <sup>3</sup>
Talc	TWA: 2 mg/m <sup>3</sup>	TWA: 0.25	TW	A: 4 mg/m <sup>3</sup>	TWA: 2	2 mg/m <sup>3</sup>	TWA: 2 m	g/m³	TLV: 2 mg/m	<u> </u>
14807-96-6	TWA: 1 mg/m <sup>3</sup>	mg/m <sup>3</sup>		A: 1 mg/m <sup>3</sup>	1	-		-	TLV: 1 mg/m	

#### 8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Personal Protective Equipment

**Respiratory Protection** 

**Eye Protection** 

**Skin Protection** 

Hand protection

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

#### **Hygiene Measures**

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance				
Odor				
<b>Odor Threshold</b>				

Property Density (g/L) **Relative Density** рΗ Viscosity (cps) Solubility(ies) Water solubility **Evaporation Rate** Vapor pressure Vapor density Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles **Boiling Point (°C)** Freezing Point (°C) Melting Point (°C) **Pour Point** Flash Point (°C) Flammability (solid, gas) Upper flammability limit: Lower flammability limit: Autoignition Temperature (°C) **Decomposition Temperature (°C)** Partition coefficient **Explosive properties Oxidizing Properties** 

liquid little or no odor No information available

Values

Remarks/ Method

None known None known

# Section 10: STABILITY AND REACTIVITY

# 10.1. Reactivity

Reactivity

10.2. Chemical stability

**Chemical Stability** 

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

Not Applicable.

Stable under normal conditions.

None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORM	ATION
Hazardous Decomposition Products	None under normal conditions of use.
10.6. Hazardous decomposition products	
Incompatible Materials	No materials to be especially mentioned.
10.5. Incompatible materials	
Conditions to avoid	Prevent from freezing.
10.4. Conditions to avoid	

## 11.1. Information on toxicological effects

#### Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.
Acute Toxicity	

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Iron oxide 1309-37-1	> 10000 mg/kg (Rat)		
Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg(Rabbit)	
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Distillates, petroleum, solvent-refined heavy paraffinic 64741-88-4	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5530 mg/m³(Rat)4 h
Carbon black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization	No sensitizing effects known.
Mutagenic Effects	No information available.

#### **Carcinogenic effects**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC

#### RF5358 - ROSCO OFF BROADWAY EARTH UMBER

Cristobalite 14464-46-1	1 - Human Carcinogen
Titanium dioxide 13463-67-7	2B - Possible Human Carcinogen
Silica, crystalline 14808-60-7	1 - Human Carcinogen
Carbon black 1333-86-4	2B - Possible Human Carcinogen

Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.
Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

#### Legend

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure if inhaled.
Neurological Effects	No information available.
Target organ effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

# Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Iron oxide		LC50: =100000mg/L (96h, Danio	
1309-37-1		rerio)	
Propylene glycol	EC50: =19000mg/L (96h,	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6	Pseudokirchneriella subcapitata)	mykiss (96 h)	EC50 > 10000 mg/L (24 h)
		LC50 = 710 mg/L Pimephales	
		promelas (96 h)	
		LC50 = 51600 mg/L Oncorhynchus	
		mykiss (96 h)	
		LC50 = 51400 mg/L Pimephales	
		promelas (96 h)	
Talc		LC50: >100g/L (96h, Brachydanio	
14807-96-6		rerio)	
Distillates, petroleum,		LC50: >5000mg/L (96h,	EC50: >1000mg/L (48h, Daphnia
solvent-refined heavy paraffinic		Oncorhynchus mykiss)	magna)
64741-88-4			
Carbon black			EC50: >5600mg/L (24h, Daphnia

1333-86-4	magna)
12.2. Persistence and degradability	
Persistence / Degradability	No information available.
12.3. Bioaccumulative potential	
Bioaccumulation	There is no data for this product.
12.4. Mobility in soil	
Mobility in soil	No information available.
Mobility in Environmental Media	No information available.

#### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Iron oxide	The substance is not PBT / vPvB PBT assessment
1309-37-1	does not apply
Diatomaceous silica, flux-calcined 68855-54-9	PBT assessment does not apply
Propylene glycol	The substance is not PBT / vPvB PBT assessment
57-55-6	does not apply
Talc 14807-96-6	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB PBT assessment
13463-67-7	does not apply
Distillates, petroleum, solvent-refined heavy paraffinic 64741-88-4	The substance is not PBT / vPvB
Carbon black	The substance is not PBT / vPvB PBT assessment
1333-86-4	does not apply

12.6. Other adverse effects

Other adverse effects

No information available

# Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods	
-------------------------------	--

Waste from Residues/Unused Products	Dispose of in accordance with the European Directives on waste and hazardous waste.
Contaminated Packaging	Empty containers should be taken for local recycling, recovery or waste disposal.
EWC waste disposal No	No information available
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

## Section 14: TRANSPORT INFORMATION

IMDG	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated
IATA	Not regulated

# Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	
Iron oxide 1309-37-1	RG 44,RG 44bis,RG 94	
Cristobalite 14464-46-1	RG 25	
Propylene glycol 57-55-6	RG 84	
Talc 14807-96-6	RG 25	
Silica, crystalline 14808-60-7	RG 25	
Carbon black 1333-86-4	RG 16,RG 16bis	

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### International Inventories

AICS	No - Not all of the components are listed.
DSL: Canada	Yes - All components are listed or exempt.
EINECS: European Union	No - Not all of the components are listed.
ENCS	No - Not all of the components are listed.
IECSC	No - Not all of the components are listed.
KECL (Annex 1)	No - Not all of the components are listed.
PICCS	No - Not all of the components are listed.
TSCA: United States	Yes - All components are listed or exempt.

#### Legend

AICS - Australian Inventory of Chemical Substances
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 IECSC - China Inventory of Existing Chemical Substances
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

#### 15.2. Chemical safety assessment

#### **Chemical Safety Report**

No information available

# Section 16: OTHER INFORMATION

#### Full text of H-Statements referred to under section 3

H304 - May be fatal if swallowed and enters airways

H361 - Suspected of damaging fertility or the unborn child if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900
Issuing Date	22-Jan-2020
Revision Date:	07-Feb-2020
Revision Summary	Change to Format

#### Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

#### End of Safety Data Sheet