



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 19-Dec-2019

Revision Date: 09-Feb-2021

Revision Number: 3

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name	ROSCO PREMIER CLEAR SATIN
Product Code	RF6820
Alternate Product Code	XY7410
Product Class	Water thinned paint
Color	Clear
Recommended use	Paint
Restrictions on use	No information available

Roscolab Limited

Blanchard Works
Kangley Bridge Road
Sydenham
London SE26 5AQ
Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT)
Email: info.emea@rosco.com

Rosco Laboratories Inc.

52 Harbor View Avenue
Stamford, CT 06902, USA
Phone: (203)-708-8900
www.rosco.com

Emergency Telephone

CHEMTREC: +1-703-741-5970
CHEMTREC (United Kingdom Local Number): +44-870-8200418

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 2 -(H319)
-----------------------------------	--------------------

2.2. Label elements

Product Identifier

**Signal word**

Warning

Hazard statements

H319 - Causes serious eye irritation

EUH208 - Contains (1,2-Benzisothiazolin-3-one, 2-Methyl-4-isothiazolin-3-one). May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves and eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

2.3. Other hazards**General Hazards**

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Dipropylene glycol monomethyl ether	252-104-2	34590-94-8	>=5 - <10	Eye Irr 2 (H319) STOT SE 3 (H335) Flam. liq 4 (H227)	Not available
Propylene glycol	200-338-0	57-55-6	>=1 - <5	Not available	01-2119456809-23-02 24
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.01 - < 0.05	Acute Tox 4 (H302) Acute Tox 2 (H330) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	>=0.001 - <0.005	Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) Acute Tox. 3 (H301) Acute Tox. 2 (H330)	Not available

				Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic chronic 1 (H410)	
--	--	--	--	---	--

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if applicable, and continue flushing. Keep eye wide open while rinsing. Get medical attention immediately if irritation persists.

Skin Contact

Wash skin with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Inhalation

Move to fresh air. If symptoms persist, call a physician.

Ingestion

Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

Burning.

4.3. Indication of any immediate medical attention and special treatment needed

Notes To Physician

Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or extreme heat.

Sensitivity to static discharge No

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions Prevent spreading of vapors through sewers, ventilation systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM)

Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland	
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm TWA: 308 mg/m ³ *	TWA: 50 ppm TWA: 308 mg/m ³ skin	TWA: 50 ppm TWA: 308.0 mg/m ³ S*	TWA: 50 ppm TWA: 308 mg/m ³ S*	TWA: 50 ppm TWA: 308 mg/m ³ *	TWA: 50 ppm TWA: 308 mg/m ³ STEL: 150 ppm STEL: 924 mg/m ³ Sk*	
Propylene glycol 57-55-6	-	-	-	-	-	TWA: 10 mg/m ³ TWA: 150 ppm TWA: 470 mg/m ³ STEL: 1410 mg/m ³ STEL: 30 mg/m ³ STEL: 450 ppm	
Chemical name	Germany	Greece	Hungary	Iceland	Italy	Latvia	
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm TWA: 310 mg/m ³	TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³ S*	TWA: 308 mg/m ³	50 ppm TWA 300 mg/m ³ TWA Skin	TWA: 50 ppm TWA: 308 mg/m ³ pelle*	TWA: 50 ppm TWA: 308 mg/m ³ S*	
Propylene glycol 57-55-6	-	-	-	-	-	TWA: 7 mg/m ³	
Chemical name	Lithuania	Netherlands	Poland	Romania	Spain	Sweden	United Kingdom
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 308 mg/m ³ TWA: 50 ppm STEL: 450 mg/m ³ STEL: 75 ppm S*	TWA: 300 mg/m ³	STEL: 480 mg/m ³ TWA: 240 mg/m ³	TWA: 50 ppm TWA: 308 mg/m ³ S*	TWA: 50 ppm TWA: 308 mg/m ³ via dérmica*	TLV: 50 ppm TLV: 300 mg/m ³ STEL: 75 ppm STEL: 450 mg/m ³ skin	TWA: 50 ppm TWA: 308 mg/m ³ STEL: 150 ppm STEL: 924 mg/m ³ Sk*
Propylene glycol 57-55-6	TWA: 7 mg/m ³	-	TWA: 100 mg/m ³	-	-	-	TWA: 150 ppm TWA: 474 mg/m ³ TWA: 10 mg/m ³ STEL: 450 ppm STEL: 1422 mg/m ³ STEL: 30 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection

In case of insufficient ventilation wear suitable respiratory equipment.

Eye Protection

Safety glasses with side-shields. If splashes are likely to occur, wear:.. Tightly fitting safety goggles.

Skin Protection

Lightweight protective clothing.

Hand protection

Impervious gloves.

Hygiene Measures

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	liquid
Odor	little or no odor
Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
Density (g/L)	1030 - 1042	None known
Relative Density	1.03 - 1.05	
pH	No information available	None known
Viscosity (cps)	No information available	None known
Solubility(ies)	No information available	None known
Water solubility	No information available	None known
Evaporation Rate	No information available	None known
Vapor pressure	No information available	None known
Vapor density	No information available	None known
Wt. % Solids	30 - 40	None known
Vol. % Solids	30 - 40	None known
Wt. % Volatiles	60 - 70	None known
Vol. % Volatiles	60 - 70	None known
Boiling Point (°C)	100	None known
Freezing Point (°C)	0	None known
Melting Point (°C)	No information available	None known
Pour Point	No information available	None known
Flash Point (°C)	Not applicable	None known
Flammability (solid, gas)	No information available	None known
Upper flammability limit:	No information available	None known
Lower flammability limit:	No information available	None known
Autoignition Temperature (°C)	No information available	None known
Decomposition Temperature (°C)	No information available	None known
Partition coefficient	No information available	None known
Explosive properties	No information available	None known
Oxidizing Properties	No information available	None known

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible Materials No materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects****Product Information**

Inhalation	There is no data available for this product. May cause irritation of respiratory tract.
Eye contact	There is no data available for this product. Causes serious eye irritation. May cause redness, itching, and pain.
Skin contact	May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause irritation. Prolonged skin contact may cause skin irritation.
Ingestion	There is no data available for this product. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Acute Toxicity**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Dipropylene glycol monomethyl ether 34590-94-8	= 5.35 g/kg (Rat)	= 9500 mg/kg (Rabbit)	
Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg (Rat)		
2-Methyl-4-isothiazolin-3-one 2682-20-4	232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)	= 200 mg/kg (Rabbit)	

Skin corrosion/irritation	May cause irritation.
Eye damage/irritation	Irritating to eyes.
Sensitization	May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenic effects

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive Effects No information available.

Developmental Effects No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Neurological Effects No information available.

Target organ effects No information available.

Symptoms No information available.

Aspiration Hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Dipropylene glycol monomethyl ether 34590-94-8		LC50: >10000mg/L (96h, Pimephales promelas)	LC50: =1919mg/L (48h, Daphnia magna)
Propylene glycol 57-55-6	EC50: =19000mg/L (96h, Pseudokirchneriella subcapitata)	LC50 41 - 47 mL/L Oncorhynchus mykiss (96 h) LC50 = 710 mg/L Pimephales promelas (96 h) LC50 = 51600 mg/L Oncorhynchus mykiss (96 h) LC50 = 51400 mg/L Pimephales promelas (96 h)	EC50 > 1000 mg/L (48 h) EC50 > 10000 mg/L (24 h)

12.2. Persistence and degradability

Persistence / Degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
Dipropylene glycol monomethyl ether 34590-94-8	-0.064
1,2-Benzisothiazolin-3-one 2634-33-5	1.3

12.4. Mobility in soil

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Dipropylene glycol monomethyl ether 34590-94-8	The substance is not PBT / vPvB
Propylene glycol 57-55-6	The substance is not PBT / vPvB PBT assessment does not apply
1,2-Benzisothiazolin-3-one 2634-33-5	The substance is not PBT / vPvB
2-Methyl-4-isothiazolin-3-one 2682-20-4	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects No information available

Section 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling, recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

IATA Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
Dipropylene glycol monomethyl ether 34590-94-8	RG 84
Propylene glycol 57-55-6	RG 84
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS	No - Not all of the components are listed.
DSL: Canada	No - Not all of the components are listed. One or more component is listed on NDSL.
EINECS: European Union	No - Not all of the components are listed.
ENCS	No - Not all of the components are listed.
IECSC	No - Not all of the components are listed.
KECL (Annex 1)	No - Not all of the components are listed.
PICCS	No - Not all of the components are listed.
TSCA: United States	Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - China Inventory of Existing Chemical Substances
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment**Chemical Safety Report**

No information available

Section 16: OTHER INFORMATION**Full text of H-Statements referred to under section 3**

H227 - Combustible liquid
H301 - Toxic if swallowed
H302 - Harmful if swallowed
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H330 - Fatal if inhaled
H331 - Toxic if inhaled
H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H411 - Toxic to aquatic life with long lasting effects

Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900
Issuing Date	19-Dec-2019
Revision Date:	09-Feb-2021
Revision Summary	(M)SDS sections updated, 2, 3, 4, 11, 16

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet