

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 21-Sep-2020

Revision Date: 21-Sep-2020

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Product Code Alternate Product Code Product Class Color Recommended use Restrictions on use

ROSCO OFF BROADWAY PTHALO GREEN

RF5371 XY5172 Water thinned paint Green Paint No information available

Roscolab Limited

Blanchard Works Kangley Bridge Road Sydenham London SE26 5AQ Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT) Email: info.emea@rosco.com

Rosco Laboratories Inc.

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 www.rosco.com

Emergency Telephone

CHEMTREC: +1-703-741-5970 CHEMTREC (United Kingdom Local Number): +44-870-8200418

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin sensitization

Category 1A - (H317)

2.2. Label elements

Product Identifier

Contains 2-Methyl-4-isothiazolin-3-one



Warning

EUH208 - Contains (1,2-Benzisothiazolin-3-one). May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear eye protection/ face protection

P321 - Specific treatment (see supplemental first aid instructions on this label)

P501 - Dispose of contents/container to industrial incineration plant

2.3. Other hazards

General Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Limestone	215-279-6	1317-65-3	>=15 - <20	Not available	Not available
Propylene glycol	200-338-0	57-55-6	>=1 - <5	Not available	01-2119456809-23-02 24
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.01 - < 0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	<0.0001	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)	Not available

Full text of H- and EUH-phrases: see section 16

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No.	SVHC candidates

RF5371 - ROSCO OFF BROADWAY PTH	ALO GREEN	Revision Date: 21-Sep-2020			
Ethoxylated octylphenol	9036-19-5	Present			
Section 4: FIRST AID MEASU	RES				
4.1. Description of first aid measures					
Description of first aid measures					
General Advice	No hazards which	require special first aid measures.			
Eye Contact	Rinse thoroughly minutes and const	with plenty of water for at least 15 ult a physician.			
Skin Contact		tely with soap and plenty of water while aminated clothes and shoes.			
Inhalation	Move to fresh air.	If symptoms persist, call a physician.			
Ingestion		water and afterwards drink plenty of hysician if necessary.			
4.2. Most important symptoms and effect	s, both acute and delayed				
Most Important Symptoms/Effects	May cause allergi	c skin reaction.			
4.3. Indication of any immediate medical a needed	attention and special treatment	<u>t</u>			
Notes To Physician	Treat symptomatic	cally.			
Section 5: FIRE FIGHTING ME	EASURES				
5.1. Extinguishing media					

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.
5.2. Special hazards arising from the substance or mix	tture
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity to static discharge	No
Sensitivity to mechanical impact	No
5.3. Advice for firefighters	
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures **Personal Precautions** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. **Other Information** Observe all relevant local and international regulations. 6.2. Environmental precautions **Environmental precautions** Prevent spreading of vapors through sewers, ventilation systems and confined areas. 6.3. Methods and material for containment and cleaning up Absorb with inert material and place in suitable container Methods for Containment for disposal. Methods for Cleaning Up Clean contaminated surface thoroughly. 6.4. Reference to other sections Other information See Section 12 for additional information. Section 7: HANDLING AND STORAGE 7.1. Precautions for safe handling Avoid contact with skin, eyes and clothing. Avoid breathing Handling vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash thoroughly after handling. **Hygiene Measures** 7.2. Conditions for safe storage, including any incompatibilities Storage Keep container tightly closed. Keep out of the reach of children. 7.3. Specific end use(s) Architectural coating. Apply as directed. Refer to product **Specific Uses** label / literature for specific instructions. Not Applicable. **Risk Management Methods (RMM)** Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1. Control parameters

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland
Limestone	-	TWA: 10 mg/m ³	TWA: 1.0 fiber/cm3	-	-	TWA: 10 mg/m ³
1317-65-3			TWA: 10 mg/m ³			TWA: 4 mg/m ³
						STEL: 30 mg/m ³
						STEL: 12 mg/m ³

Propylene glycol 57-55-6	-	-		-			-		-	TWA: 10 mg/m ³ TWA: 150 ppm TWA: 470 mg/m ³ STEL: 1410 mg/m ³ STEL: 30 mg/m ³ STEL: 450 ppm
Chemical name	Germany	Greece		Hung	ary	lce	eland		Italy	Latvia
Limestone 1317-65-3	-	TWA: 10 mg TWA: 5 mg		TWA: 10	mg/m³		-		-	-
Propylene glycol 57-55-6	-	-		-			-		-	TWA: 7 mg/m ³
Chemical name	Lithuania	Netherlands	P	oland	Rom	ania	Spain	I	Sweden	United Kingdom
Limestone 1317-65-3	-	-		-	TWA: 1	0 mg/m³	-		-	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Propylene glycol 57-55-6	TWA: 7 mg/m ³	-	TWA:	100 mg/m ³		-	_		-	TWA: 150 ppm TWA: 474 mg/m ³ TWA: 10 mg/m ³ STEL: 450 ppm STEL: 1422 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Personal Protective Equipment

Respiratory Protection

Eye Protection

Skin Protection

Hand protection

Hygiene Measures

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Odor Odor Threshold

Property Density (g/L) Relative Density pH Viscosity (cps) liquid little or no odor No information available

Values 1318 - 1366 1.31 - 1.36 No information available No information available Remarks/ Method

None known None known

Solubility(ies) Water solubility Evaporation Rate Vapor pressure Vapor density Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles Boiling Point (°C) Freezing Point (°C) Freezing Point (°C) Melting Point (°C) Pour Point Flash Point (°C) Flammability (solid, gas) Upper flammability limit: Lower flammability limit: Autoignition Temperature (°C)	No information available No information available No information available No information available A5 - 55 30 - 40 45 - 55 60 - 70 100 0 No information available No information available Not applicable No information available No information available No information available No information available No information available	None known None known
Lower flammability limit:		
Decomposition Temperature (°C) Partition coefficient Explosive properties Oxidizing Properties	No information available No information available No information available No information available	None known None known None known None known

Section 10: STABILITY AND REACTIVITY

<u>10.1. Reactivity</u> Reactivity	Not Applicable.
10.2. Chemical stability	
Chemical Stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal conditions of use.
10.4. Conditions to avoid	
Conditions to avoid	Prevent from freezing.
10.5. Incompatible materials	
Incompatible Materials	No materials to be especially mentioned.
10.6. Hazardous decomposition products	
Hazardous Decomposition Products	None under normal conditions of use.
Section 11: TOXICOLOGICAL INFO	RMATION

11.1. Information on toxicological effects

Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	There is no data available for this product.
Acute Toxicity	

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg(Rabbit)	
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg (Rat)		
2-Methyl-4-isothiazolin-3-one 2682-20-4	232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)	= 200 mg/kg (Rabbit)	= 0.11 mg/L (Rat)4 h

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization	May cause an allergic skin reaction.
Mutagenic Effects	No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		-

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target organ effects	No information available.

Symptoms

Aspiration Hazard

No information available.

No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Propylene glycol	EC50: =19000mg/L (96h,	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6	Pseudokirchneriella subcapitata)	mykiss (96 h)	EC50 > 10000 mg/L (24 h)
		LC50 = 710 mg/L Pimephales	
		promelas (96 h)	
		LC50 = 51600 mg/L Oncorhynchus	
		mykiss (96 h)	
		LC50 = 51400 mg/L Pimephales	
		promelas (96 h)	

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	

12.4. Mobility in soil

Mobility in soil

Mobility in Environmental Media

No information available. No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Propylene glycol	The substance is not PBT / vPvB PBT assessment
57-55-6	does not apply
1,2-Benzisothiazolin-3-one	The substance is not PBT / vPvB
2634-33-5	
2-Methyl-4-isothiazolin-3-one	The substance is not PBT / vPvB
2682-20-4	

12.6. Other adverse effects

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Dispose of in accordance with the European Directives on waste and hazardous waste.
Contaminated Packaging	Empty containers should be taken for local recycling, recovery or waste disposal.
EWC waste disposal No	No information available
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Propylene glycol 57-55-6	RG 84
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS DSL: Canada

EINECS: European Union ENCS IECSC KECL (Annex 1) PICCS No - Not all of the components are listed. No - Not all of the components are listed. One or more component is listed on NDSL. No - Not all of the components are listed. No - Not all of the components are listed. No - Not all of the components are listed. No - Not all of the components are listed. No - Not all of the components are listed. No - Not all of the components are listed.

TSCA: United States

Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 $\ensuremath{\text{IECSC}}$ - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

- H302 Harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H335 May cause respiratory irritation
- H400 Very toxic to aquatic life

Classification procedure:

Key literature references and sources for data

Prepared By

Issuing Date

Revision Date:

Revision Summary

Expert judgment and weight of evidence determination

Data from internal and external sources

Product Stewardship Department Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900

21-Sep-2020

21-Sep-2020

Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet